Contents

Special Issue: STRUCTURE AND DYNAMICS OF LIQUIDS AND SOLUTIONS A Collection of Invited Papers in Honour of Professor H. G. Hertz

Preface ix

EXAFS-Study of solvophobic interaction in the system krypton-ethanol
H. Bertagnolli, M. Hoffmann and D. Peter (Würzburg, Germany) 1

Analysis of kinetic data for reactions in binary aqueous mixtures using Kirkwood-Buff integral functions characterising preferential solvation.
M. J. Blandamer and J. Burgess (Leicester, England), J. B. F. N. Engberts (Gröningen, The Netherlands) and P. Warrick Jn. (New Wilmington, USA) 15

Dielectric relaxation of some electrolyte solutions in N-methylpyrrolidone and N,N-diethylacetamide
A. Aust, K. Klockgeter, A. Steffen and M. Stockhausen, (Münster, Germany) 41

NMR-T_1 studies of relative translational diffusion in solutions over large frequency ranges
U. Stark, E. Cebe, K. Meise-Gresch and W. Müller Warmuth (Münster, Germany) 67

Molecular coordinate systems for relaxation process
J. McConnell (Dublin, Ireland) 81

The temperature dependence of the isothermal compressibility of liquids along the orthobaric curve
F. Kohler and N. Van Nhu (Bochum, Germany) 97

Influence of sample rotation on NMR relaxation in liquids
B. Blicharska (Cracow, Poland) 109

Velocity cross-correlation for the binary systems methanol-water and acetone-water at 278 K and 298 K
R. Mills and L. A. Woolf (Canberra, Australia) 115

Dynamics of methanol-tetrachloromethane mixtures - A dielectric relaxation study
R. Buchner and J. Barthel (Regensburg, Germany) 131

Contents

Special Issue: STRUCTURE AND DYNAMICS OF LIQUIDS AND SOLUTIONS A Collection of Invited Papers in Honour of Professor H. G. Hertz

Preface ix

EXAFS-Study of solvophobic interaction in the system krypton-ethanol
H. Bertagnolli, M. Hoffmann and D. Peter (Würzburg, Germany) 1

Analysis of kinetic data for reactions in binary aqueous mixtures using Kirkwood-Buff integral functions characterising preferential solvation.
M. J. Blandamer and J. Burgess (Leicester, England), J. B. F. N. Engberts (Gröningen, The Netherlands) and P. Warrick Jn. (New Wilmington, USA) 15

Dielectric relaxation of some electrolyte solutions in N-methylpyrrolidone and N,N-diethylacetamide
A. Aust, K. Klockgeter, A. Steffen and M. Stockhausen, (Münster, Germany) 41

NMR-T_1 studies of relative translational diffusion in solutions over large frequency ranges
U. Stark, E. Cebe, K. Meise-Gresch and W. Müller Warmuth (Münster, Germany) 67

Molecular coordinate systems for relaxation process
J. McConnell (Dublin, Ireland) 81

The temperature dependence of the isothermal compressibility of liquids along the orthobaric curve
F. Kohler and N. Van Nhu (Bochum, Germany) 97

Influence of sample rotation on NMR relaxation in liquids
B. Blicharska (Cracow, Poland) 109

Velocity cross-correlation for the binary systems methanol-water and acetone-water at 278 K and 298 K
R. Mills and L. A. Woolf (Canberra, Australia) 115

Dynamics of methanol-tetrachloromethane mixtures - A dielectric relaxation study
R. Buchner and J. Barthel (Regensburg, Germany) 131

Generalized isothermal transport coefficients of $ZnCl_2$-H_2O at 25°C
D.G.Miller and J. A. Rard (Livermore, USA) 145

Dielectric properties of organic solute/water mixtures. Hydrophobic hydration and relaxation
U. Kaatze and R. Pottel (Göttingen, Germany) 181

Contribution to the so-called structure temperature of the electrolyte solutions in methanol based on IR OH band-intensities
W.A.P. Luck and M. Fritzsche (Marburg, Germany) 211

Magnetic resonance investigations of the structure and dynamics of electrolyte solutions in hydrazine: a reexamination of the structure-breaking effect
R.K. Wadi and H. Weingärtner (Karlsruhe, Germany) 225

Methyl assignment in ^1H and ^{13}C spectra of N^1N^1-dimethylamidines.
I. Wawer (Warsaw, Poland) 243